SAFETY DATA SHEET

1. Identification

Product identifier HS LOG HOME TREATMENT - COBBLESTONE GRAY

Other means of identification

Product code HS-02CF930 Recommended use Not available. **Recommended restrictions** None known.

Manufacturer/Importer/Supplier/Distributor information

FORREST Technical Coatings Company Name

Address 1011 McKinley Street

P.O. Box 22110

City Eugene OR **State** Zip 97402 **United States** Country

Telephone 1 (541) 342-1821 **Contact person EHS Department** Website www.forrestpaint.com E-mail info@forrestpaint.com

Emergency phone number 1 (800) 424-9300 (CHEMTREC - Contract # 8730) USA & Canada

+1 703-527-3887 (CHEMTREC - Contract # 8730) Outside USA and Canada

2. Hazard(s) identification

Physical hazards Not classified.

Health hazards Sensitization, skin Category 1

> Germ cell mutagenicity Category 1 Carcinogenicity Category 2 Reproductive toxicity Category 1 Category 3

Environmental hazards Hazardous to the aquatic environment, acute

Hazardous to the aquatic environment, Category 3

long-term hazard

OSHA defined hazards Not classified.

Label elements



Signal word Danger

May cause an allergic skin reaction. May cause genetic defects. Suspected of causing cancer. **Hazard statement**

May damage fertility or the unborn child. Harmful to aquatic life. Harmful to aquatic life with long

lasting effects.

Precautionary statement

Obtain special instructions before use. Do not handle until all safety precautions have been read Prevention

and understood. Contaminated work clothing must not be allowed out of the workplace. Avoid release to the environment. Wear protective gloves/protective clothing/eye protection/face

protection.

If on skin: Wash with plenty of water. If exposed or concerned: Get medical advice/attention. If Response

skin irritation or rash occurs: Get medical advice/attention. Wash contaminated clothing before

reuse.

Material name: HS LOG HOME TREATMENT - COBBLESTONE GRAY

HS-02CF930 Version #: 01 Issue date: 02-22-2021

Storage Store locked up.

Dispose of contents/container in accordance with local/regional/national/international regulations. Disposal

Hazard(s) not otherwise classified (HNOC)

None known.

Supplemental information

95.72% of the mixture consists of component(s) of unknown acute oral toxicity. 95.72% of the mixture consists of component(s) of unknown acute dermal toxicity. 83.6% of the mixture consists

of component(s) of unknown acute inhalation toxicity.

3. Composition/information on ingredients

Mixtures

Chemical name	Common name and synonyms	CAS number	%
TITANIUM DIOXIDE		13463-67-7	1-10
IRON OXIDE		1309-37-1	1 - 2.5
bis(1,2,2,6,6-PENTAMETHYL-4-PIP ERIDYL)SEBACATE		41556-26-7	0- <1
CARBON BLACK		1333-86-4	0- <1
DIETHYLENE GLYCOL METHYL ETHER		111-77-3	0- <1
METHYL BENZIMIDAZOLE-2-YL CARB		10605-21-7	0- <1
3-IODOPROPYNYL BUTYLCARBAMATE		55406-53-6	0 - 0.1
Other components below reportable	levels		80-95

^{*}Designates that a specific chemical identity and/or percentage of composition has been withheld as a trade secret.

4. First-aid measures

Inhalation Move to fresh air. Call a physician if symptoms develop or persist.

Skin contact Remove contaminated clothing immediately and wash skin with soap and water. In case of

eczema or other skin disorders: Seek medical attention and take along these instructions.

Eve contact Rinse with water. Get medical attention if irritation develops and persists.

Rinse mouth. Get medical attention if symptoms occur. Ingestion Most important May cause an allergic skin reaction. Dermatitis. Rash.

symptoms/effects, acute and delayed

Indication of immediate medical attention and special

treatment needed

Provide general supportive measures and treat symptomatically. Keep victim under observation. Symptoms may be delayed.

IF exposed or concerned: Get medical advice/attention. If you feel unwell, seek medical advice General information (show the label where possible). Ensure that medical personnel are aware of the material(s) involved, and take precautions to protect themselves. Show this safety data sheet to the doctor in attendance. Wash contaminated clothing before reuse.

5. Fire-fighting measures

Suitable extinguishing media

Unsuitable extinguishing media

Water fog. Foam. Dry chemical powder. Carbon dioxide (CO2). Do not use water jet as an extinguisher, as this will spread the fire.

Specific hazards arising from the chemical

During fire, gases hazardous to health may be formed.

Special protective equipment and precautions for firefighters Self-contained breathing apparatus and full protective clothing must be worn in case of fire.

Fire fighting

Move containers from fire area if you can do so without risk.

equipment/instructions Specific methods

Use standard firefighting procedures and consider the hazards of other involved materials.

General fire hazards No unusual fire or explosion hazards noted.

Material name: HS LOG HOME TREATMENT - COBBLESTONE GRAY

6. Accidental release measures

Personal precautions, protective equipment and emergency procedures Keep unnecessary personnel away. Keep people away from and upwind of spill/leak. Wear appropriate protective equipment and clothing during clean-up. Avoid breathing mist/vapors. Do not touch damaged containers or spilled material unless wearing appropriate protective clothing. Ensure adequate ventilation. Local authorities should be advised if significant spillages cannot be contained. For personal protection, see section 8 of the SDS.

Methods and materials for containment and cleaning up

Prevent product from entering drains.

Large Spills: Stop the flow of material, if this is without risk. Dike the spilled material, where this is possible. Absorb in vermiculite, dry sand or earth and place into containers. Following product recovery, flush area with water.

Small Spills: Wipe up with absorbent material (e.g. cloth, fleece). Clean surface thoroughly to remove residual contamination.

Never return spills to original containers for re-use. Put material in suitable, covered, labeled containers. For waste disposal, see section 13 of the SDS.

Environmental precautions

Avoid release to the environment. Inform appropriate managerial or supervisory personnel of all environmental releases. Prevent further leakage or spillage if safe to do so. Avoid discharge into drains, water courses or onto the ground.

7. Handling and storage

Precautions for safe handling

Obtain special instructions before use. Do not handle until all safety precautions have been read and understood. Avoid breathing mist/vapors. Avoid contact with eyes, skin, and clothing. Avoid prolonged exposure. Pregnant or breastfeeding women must not handle this product. Should be handled in closed systems, if possible. Provide adequate ventilation. Wear appropriate personal protective equipment. Avoid release to the environment. Observe good industrial hygiene practices.

Conditions for safe storage, including any incompatibilities

Store locked up. Store in tightly closed container. Store away from incompatible materials (see Section 10 of the SDS).

8. Exposure controls/personal protection

Occupational exposure limits

The following constituents are the only constituents of the product which have a PEL, TLV or other recommended exposure limit. At this time, the other constituents have no known exposure limits.

US. OSHA Table Z-1 Limits for Air Contaminants (29 CFR 1910.1000)

Components	Туре	Value	Form
CARBON BLACK (CAS 1333-86-4)	PEL	3.5 mg/m3	
IRON OXIDE (CAS 1309-37-1)	PEL	10 mg/m3	Fume.
TITANIUM DIOXIDE (CAS 13463-67-7)	PEL	15 mg/m3	Total dust.
US. OSHA Table Z-3 (29 CFR 1910.100	0)		
Components	Туре	Value	Form
IRON OXIDE (CAS 1309-37-1)	TWA	5 mg/m3	Respirable fraction.
		15 mg/m3	Total dust.
		50 mppcf	Total dust.
		15 mppcf	Respirable fraction.
TITANIUM DIOXIDE (CAS 13463-67-7)	TWA	5 mg/m3	Respirable fraction.
		15 mg/m3	Total dust.
		50 mppcf	Total dust.
		15 mppcf	Respirable fraction.
US. ACGIH Threshold Limit Values			
Components	Туре	Value	Form
CARBON BLACK (CAS 1333-86-4)	TWA	3 mg/m3	Inhalable fraction.

Material name: HS LOG HOME TREATMENT - COBBLESTONE GRAY

HS-02CF930 Version #: 01 Issue date: 02-22-2021

US. ACGIH Threshold Limit Values						
Components	Type	Value	Form			
IRON OXIDE (CAS 1309-37-1)	TWA	5 mg/m3	Respirable fraction.			
TITANIUM DIOXIDE (CAS 13463-67-7)	TWA	10 mg/m3				
US. NIOSH: Pocket Guide to Chemical Hazards						
Components	Туре	Value	Form			
CARBON BLACK (CAS 1333-86-4)	TWA	0.1 mg/m3				
IRON OXIDE (CAS 1309-37-1)	TWA	5 mg/m3	Dust and fume.			

Biological limit values No biological exposure limits noted for the ingredient(s).

Appropriate engineering

controls

Good general ventilation should be used. Ventilation rates should be matched to conditions. If applicable, use process enclosures, local exhaust ventilation, or other engineering controls to maintain airborne levels below recommended exposure limits. If exposure limits have not been established, maintain airborne levels to an acceptable level.

Individual protection measures, such as personal protective equipment

Chemical respirator with organic vapor cartridge and full facepiece. Eye/face protection

Skin protection

Hand protection Wear appropriate chemical resistant gloves.

Wear appropriate chemical resistant clothing. Use of an impervious apron is recommended. Other

Chemical respirator with organic vapor cartridge and full facepiece. Respiratory protection

Thermal hazards Wear appropriate thermal protective clothing, when necessary.

General hygiene considerations

Observe any medical surveillance requirements. Always observe good personal hygiene measures, such as washing after handling the material and before eating, drinking, and/or smoking. Routinely wash work clothing and protective equipment to remove contaminants. Contaminated work clothing should not be allowed out of the workplace.

9. Physical and chemical properties

Appearance

Physical state Liquid. Liquid. **Form** Color Grev.

Odor Not available. **Odor threshold** Not available. Not available. Not available. Melting point/freezing point Initial boiling point and boiling Not available.

range

Not available. Flash point Not available. **Evaporation rate** Not applicable. Flammability (solid, gas)

Upper/lower flammability or explosive limits

Flammability limit - lower

Not available.

Flammability limit - upper

Not available.

(%)

Explosive limit - lower (%) Not available. Explosive limit - upper (%) Not available.

Vapor pressure 31.7 hPa estimated

Vapor density Not available. Relative density Not available.

SDS US HS-02CF930 Version #: 01 Issue date: 02-22-2021

Solubility(ies)

Solubility (water) Not available.

Partition coefficient Not available.

(n-octanol/water)

Auto-ignition temperatureNot available.Decomposition temperatureNot available.ViscosityNot available.

Other information

Density8.57 lb/galExplosive propertiesNot explosive.Oxidizing propertiesNot oxidizing.Percent volatile77.76 %w/w

Specific gravity 1.03

VOC 13.22 g/l MATERIAL 62.06 g/l COATING

10. Stability and reactivity

ReactivityThe product is stable and non-reactive under normal conditions of use, storage and transport.

Chemical stability Material is stable under normal conditions.

Possibility of hazardous

reactions

No dangerous reaction known under conditions of normal use.

Conditions to avoid Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. Contact with

incompatible materials.

Incompatible materials Strong oxidizing agents.

Hazardous decomposition

products

No hazardous decomposition products are known.

11. Toxicological information

Information on likely routes of exposure

InhalationProlonged inhalation may be harmful.Skin contactMay cause an allergic skin reaction.

Eye contact Direct contact with eyes may cause temporary irritation.

Ingestion Expected to be a low ingestion hazard.

Symptoms related to the physical, chemical and toxicological characteristics

May cause an allergic skin reaction. Dermatitis. Rash.

Information on toxicological effects

Acute toxicity Not known.

Components Species Test Results

TITANIUM DIOXIDE (CAS 13463-67-7)

Acute Inhalation

LC50 > 6.82 mg/kg

Oral

LD50 > 5000 mg/kg

Skin corrosion/irritation Prolonged skin contact may cause temporary irritation.

Serious eye damage/eye Direct contact with eyes may cause temporary irritation.

irritation

Respiratory or skin sensitization

Respiratory sensitization Not a respiratory sensitizer.

Skin sensitization May cause an allergic skin reaction.

Germ cell mutagenicity May cause genetic defects.

Carcinogenicity Suspected of causing cancer.

Material name: HS LOG HOME TREATMENT - COBBLESTONE GRAY

IARC Monographs. Overall Evaluation of Carcinogenicity

CARBON BLACK (CAS 1333-86-4) 2B Possibly carcinogenic to humans.

IRON OXIDE (CAS 1309-37-1) 3 Not classifiable as to carcinogenicity to humans.

TITANIUM DIOXIDE (CAS 13463-67-7) 2B Possibly carcinogenic to humans.

OSHA Specifically Regulated Substances (29 CFR 1910.1001-1052)

Not regulated.

US. National Toxicology Program (NTP) Report on Carcinogens

Not listed.

Reproductive toxicity May damage fertility or the unborn child.

Specific target organ toxicity -

single exposure

Not classified.

Specific target organ toxicity -

repeated exposure

Not classified.

Aspiration hazard Not an aspiration hazard.

Chronic effects Prolonged inhalation may be harmful. Prolonged exposure may cause chronic effects.

12. Ecological information

Ecotoxicity Harmful to aquatic life with long lasting effects.

Test Results Components **Species** 3-IODOPROPYNYL BUTYLCARBAMATE (CAS 55406-53-6) Aquatic Fish LC50 Rainbow trout.donaldson trout 0.189 - 0.35 mg/l, 24 hours (Oncorhynchus mykiss) DIETHYLENE GLYCOL METHYL ETHER (CAS 111-77-3) Aquatic Fish LC50 Bluegill (Lepomis macrochirus) 7500 mg/l, 96 hours METHYL BENZIMIDAZOLE-2-YL CARB (CAS 10605-21-7) Aquatic Fish LC50 Channel catfish (Ictalurus punctatus) 0.009 - 0.015 mg/l, 96 hours TITANIUM DIOXIDE (CAS 13463-67-7) Pseudokirchnerella subcapitata Other EC50 > 100 mg/l NOEC Pseudokirchnerella subcapitata >= 100 mg/l**Aquatic** Algae EC50 Marine water algae > 10000 mg/l NOEC Marine water algae 5600 mg/l Crustacea EC50 Daphnia magna > 100 mg/lLC50 Marine water invertebrate > 10000 mg/lNOEC Daphnia magna > 1 mg/l Fish LC50 Freshwater fish > 100 mg/l Marine water fish > 10000 mg/l

Persistence and degradability

No data is available on the degradability of any ingredients in the mixture.

> 500 mg/l

Bioaccumulative potential

Partition coefficient n-octanol / water (log Kow)

METHYL BENZIMIDAZOLE-2-YL CARB 1.52

NOEC

Mobility in soil No data available.

Other adverse effects The product contains volatile organic compounds which have a photochemical ozone creation

Freshwater fish

potential.

SDS US 6/8 HS-02CF930 Version #: 01 Issue date: 02-22-2021

13. Disposal considerations

Disposal instructionsCollect and reclaim or dispose in sealed containers at licensed waste disposal site. Do not allow

this material to drain into sewers/water supplies. Do not contaminate ponds, waterways or ditches

with chemical or used container. Dispose of contents/container in accordance with

local/regional/national/international regulations.

Local disposal regulations

Dispose in accordance with all applicable regulations.

Hazardous waste code

The waste code should be assigned in discussion between the user, the producer and the waste

disposal company.

Waste from residues / unused

products

Dispose of in accordance with local regulations. Empty containers or liners may retain some product residues. This material and its container must be disposed of in a safe manner (see:

Disposal instructions).

Contaminated packaging

Since emptied containers may retain product residue, follow label warnings even after container is emptied. Empty containers should be taken to an approved waste handling site for recycling or

disposal.

14. Transport information

DOT

Not regulated as dangerous goods.

IATA

Not regulated as dangerous goods.

IMDG

Not regulated as dangerous goods.

Transport in bulk according to Annex II of MARPOL 73/78 and

Not established.

the IBC Code

15. Regulatory information

US federal regulations

This product is a "Hazardous Chemical" as defined by the OSHA Hazard Communication

Standard, 29 CFR 1910.1200.

Toxic Substances Control Act (TSCA)

TSCA Section 12(b) Export Notification (40 CFR 707, Subpt. D)

Not regulated.

CERCLA Hazardous Substance List (40 CFR 302.4)

DIETHYLENE GLYCOL METHYL ETHER

Listed.

(CAS 111-77-3)

METHYL BENZIMIDAZOLE-2-YL CARB

Listed.

(CAS 10605-21-7)

SARA 304 Emergency release notification

Not regulated.

OSHA Specifically Regulated Substances (29 CFR 1910.1001-1052)

Not regulated.

Superfund Amendments and Reauthorization Act of 1986 (SARA)

SARA 302 Extremely hazardous substance

Not listed.

SARA 311/312 Hazardous

Yes

chemical

Classified hazard

Respiratory or skin sensitization

categories

Germ cell mutagenicity Carcinogenicity Reproductive toxicity

SARA 313 (TRI reporting)

Chemical nameCAS number% by wt.DIETHYLENE GLYCOL METHYL ETHER111-77-30- <1</td>

Other federal regulations

Clean Air Act (CAA) Section 112 Hazardous Air Pollutants (HAPs) List

DIETHYLENE GLYCOL METHYL ETHER (CAS 111-77-3)

Clean Air Act (CAA) Section 112(r) Accidental Release Prevention (40 CFR 68.130)

Not regulated.

Contains component(s) regulated under the Safe Drinking Water Act.

US state regulations

California Proposition 65



WARNING: This product can expose you to chemicals including TITANIUM DIOXIDE, which is known to the State of California to cause cancer, and ETHYLENE GLYCOL, which is known to the State of California to cause birth defects or other reproductive harm. For more information go

to www.P65Warnings.ca.gov.

California Proposition 65 - CRT: Listed date/Carcinogenic substance

CARBON BLACK (CAS 1333-86-4) Listed: February 21, 2003 CRYSTALLINE QUARTZ SILICA (CAS 14808-60-7) Listed: October 1, 1988 TITANIUM DIOXIDE (CAS 13463-67-7) Listed: September 2, 2011

California Proposition 65 - CRT: Listed date/Developmental toxin

ETHYLENE GLYCOL (CAS 107-21-1) Listed: June 19, 2015

US. California. Candidate Chemicals List. Safer Consumer Products Regulations (Cal. Code Regs, tit. 22, 69502.3, subd. (a))

bis(1,2,2,6,6-PENTAMETHYL-4-PIPERIDYL)SEBACATE (CAS 41556-26-7)

CARBON BLACK (CAS 1333-86-4)

DIETHYLENE GLYCOL METHYL ETHER (CAS 111-77-3)

Inventory name

TITANIUM DIOXIDE (CAS 13463-67-7)

International Inventories

Australia

Taiwan

Country(s) or region

Canada	Domestic Substances List (DSL)	No
Canada	Non-Domestic Substances List (NDSL)	No
China	Inventory of Existing Chemical Substances in China (IECSC)	No
Europe	European Inventory of Existing Commercial Chemical Substances (EINECS)	No
Europe	European List of Notified Chemical Substances (ELINCS)	No
Japan	Inventory of Existing and New Chemical Substances (ENCS)	No
Korea	Existing Chemicals List (ECL)	No
New Zealand	New Zealand Inventory	No
Philippines	Philippine Inventory of Chemicals and Chemical Substances (PICCS)	No

Australian Inventory of Chemical Substances (AICS)

Taiwan Chemical Substance Inventory (TCSI)

Toxic Substances Control Act (TSCA) Inventory *A "Yes" indicates that all components of this product comply with the inventory requirements administered by the governing country(s) A "No" indicates that one or more components of the product are not listed or exempt from listing on the inventory administered by the governing country(s).

16. Other information, including date of preparation or last revision

02-22-2021 Issue date

Version # 01

United States & Puerto Rico

Health: 2* **HMIS®** ratings

Flammability: 0 Physical hazard: 0

Health: 2 NFPA ratings

Flammability: 0 Instability: 0

NFPA ratings



Disclaimer

The information and recommendations in this safety data sheet are, to the best of our knowledge, accurate as of the date of issue. Nothing herein shall be deemed to create any warranty, expressed or implied. It is the responsibility of the user to determine the applicability of this information and the suitability of the material or product for any particular purpose.

Material name: HS LOG HOME TREATMENT - COBBLESTONE GRAY HS-02CF930 Version #: 01 Issue date: 02-22-2021

On inventory (yes/no)*

No

No

No